



About Vogel's


For 50 years, Vogel's has been developing innovative, reliable and user-friendly mounting solutions for both the consumer and professional markets. Solutions that excel in design, safety and ease of installation. So you never choose just any mounting solution. You choose the certainty of the best solution.


Vogel's. For Sure.

CONTENTS

About Vogel's	
Vogel's. For Tomorrow	6
Quality guaranteed	7
SIGNATURE Series	
Motorised & Full-Motion TV Wall Mounts	9
ELITE Series	
Forward / Full-Motion+ OLED TV Wall Mounts	11
Full-Motion+ OLED TV Wall Mounts	12
Fixed OLED TV Wall Mounts	13
COMFORT Series	
Full-Motion+ XL & Fixed OLED TV Wall Mounts	15
Full Motion+ OLED TV Wall Mounts	16
Full-Motion+TV Wall Mounts	17
Full-Motion TV Wall Mounts	
Tilt TV Wall Mounts	19
Fixed TV Wall Mounts	
TV Wall Mount Accessories	
Cable and AV Solutions	23
Stud wall solution	26
Sound bar mounts	
TV Floor Stands for your home	28
TV Floor Stands	
SOUND Solutions	32
Wall mounts & Stands for Sonos	
Universal speaker wall mounts & stands	34
Wall Mounts & Stands for Sonos ERA	36
Projector Solutions	
Projector Ceiling and Wall Mounts	39
Tablet Solutions	
Index	43







Vogel's. For Tomorrow.

As a market leader and innovator, we like to lead the way with high-quality products. We are always looking for the ultimate solution.

Corporate Social Responsibility is part of this.

Respect for people and the environment is an important value to us. And we act accordingly.

People

Investing in people is investing in the future. This includes being a good employer and doing business fairly. Important themes that have already brought us a lot.

Planet

As a market leader, we want the production and consumption of our products to be as responsible as possible. This includes reducing our carbon footprint, which is an ongoing process.

Profit

As a part of society, we like to do our bit.

Vogel's feels involved and likes to make a

positive contribution to the local economy
and community.

Sustainable packaging

For our latest product lines we developed fully recyclable packaging. We use 95% less singleuse plastics and all EPS (Styrofoam) has been replaced by paper pulp.

Raw materials and production process

We apply strict environmental guidelines to our production process. We also look carefully at the origin of our raw materials. In order to leave these raw materials undamaged as much as possible, we strive for high quality products with a long lifespan.



Quality guaranteed

TÜV NORD


The TÜV NORD label is an additional confirmation that Vogel's products are safe. All Vogel's products for the consumer market and the professional market are tested thoroughly, so they meet the strict requirements of this certification agency. TÜV NORD is an independent certification authority for products and manufacturing processes. They carry out independent quality and safety tests and are recognized globally as the label of excellent quality.

Almost all Vogel's products carry the TÜV NORD label. Vogel's has this voluntary certification carried out as additional proof that its products are safe. Part of this process is an accelerated sustainability test.

All certified products for domestic use are tested to carry at least three times the indicated weight without collapsing (deformation is possible).

Fischer® mounting materials

Professionals around the world trust the innovative products, materials and services by fischer® for mounting solutions. We have chosen the fischer wall plugs because of their great expertise and proven solidity. This is reflected in the high quality of their products and possibilities for different wall types.



SIGNATURE Series

High-end design TV wall mounts for large TVs

Choose motorised or manual movement to operate this unique TV wall mount. With our eye for detail, we use high-quality finishes and ensure that cables are out of sight. This wall mount fits seamlessly into any interior

The innovative, minimalistic design perfectly complements large ulta-thin TVs from 40 to 77 with a maximum weight of 35 kg. SIGNATURE TV wall mounts can be turned up to 120° for optimal viewing comfort.

Key features:

- Smooth turning mechanism, can be operated manually or motorised
- Our most innovative design yet stylish in any interior
- Fully Integrated Cable Inlay System (CIS®) -Connect, protect and hide your cables, from wall to TV
- Mounting using the free DrillRight™ AR app
- Complete your mounting system with a matching aluminum cable column

Motorised & Full-Motion TV wall mounts

TVM 7675 PRO

MotionMount - Motorised TV Wall Mount

TVM 7675

MotionMount - Motorised TV Wall Mount

TVM 7655

DesignMount - Full-Motion+ TV Wall Mount

SIGNATURE SERIES







Specifications

40 / 77	40 / 77	40 / 77
35	35	35
600 x 400	600 x 400	600 x 400
4	4	4
Forward and turning motion (up to 120°)	Forward and turning motion (up to 120°)	Forward and turning motion (up to 120°)
77 / 715	77 / 715	77 / 715
•	•	
Integrated cable management CIS® Cable Inlay System Cable sleeve	Integrated cable managementCIS® Cable Inlay SystemCable sleeve	Integrated cable management CIS® Cable Inlay System Cable sleeve
100-240V, 50/60 Hz	100-240V, 50/60 Hz	
• / •	• / •	-/-
	35 600 x 400 4 Forward and turning motion (up to 120°) 77 / 715 • Integrated cable management • CIS® Cable Inlay System • Cable sleeve	35 600 x 400 4 Forward and turning motion (up to 120°) 77 / 715 Forward and turning motion (up to 120°) 77 / 715 • Integrated cable management • CIS® Cable Inlay System • Cable sleeve 100-240V, 50/60 Hz 35 600 x 400 Forward and turning motion (up to 120°) 77 / 715 • Integrated cable management • CIS® Cable Inlay System • Cable sleeve

Guarantee

TÜV certified	NORD	NORD	NORD
Guarantee	15 years	15 years	15 years
Guarantee on Electrical Parts	2 years	2 years	
Certifications	CB. CE. TÜV	CE. TÜV	TÜV

Guarantee on Electrical Parts	2 years	2 years	
Certifications	CB, CE, TÜV	CE, TÜV	тü∨
General			
Colour	Black	Black I White	Black White
Article number	8876750P	8876750 8876751	8876550 8876551
EAN single box	8712285354984	8712285350603 8712285361067	8712285350580 8712285361043
What's in the box	Wall mount Interface Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Quick Installation Guide DrillRight™ AR app Drilling template Allen key Cable sleeve Infrared remote control AC power adapter HDMI cable - 2M	Wall mount Interface Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Quick Installation Guide DrillRight™ AR app Drilling template Allen key Cable sleeve Infrared remote control AC power adapter HDMI cable - 2M	Wall mount Interface Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Quick Installation Guide DrillRight™ AR app Drilling template Allen key Cable sleeve









ELITE Series

Every large OLED TV, mounted with elegance

ELITE TV wall mounts combine elegant design with unprecedented strength. The ultimate solution for large premium TVs, such as OLED and QLED TVs. The ultra slim design blends seamlessly with the minimalistic look of these TVs. At the same time, the TV mounts have a huge weight-bearing capacity.

ELITE TV wall mounts are suitable for TVs from 32 to 100 inches in size, weighing up to 100 kg - ideal for your valuable OLED or QLED screen.

Key features:

- Ultra slim and strong
- Ideal for OLED/QLED TVs
- Hide and guide your unsightly cables
- Mounting made easy with our free DrillRight™
 AR App
- Drilling template, bolts, plugs and spirit level included
- 15 years guarantee

Forward / Full-Motion+ OLED TV Wall Mounts

TVM 5855

Full-Motion TV Wall Mount

TVM 5845

Full-Motion+ TV Wall Mount







Specifications		
Min. / Max. TV screen size (inch)	55 / 100	55 / 100
Max. weight load (kg)	75	55
Max. VESA hole pattern (mm)	600 x 400	600 x 400
Number of pivot points	4	3
Turn	Forward and turning motion (up to 120°)	Full motion (up to 180°)
Min. / Max. distance to the wall (mm)	45 / 697	40 / 740
Cable management	Cable fingers for cable management on the back of your TV CIS® Cable Inlay System	Cable fingers for cable management on the back of your TV CIS® Cable Inlay System
Spirit level included	•	•
Guarantee		

TÜV certified

Guarantee

NORD

15 years

NORD

General		
Colour	Black	Black
Article number	5858550	5858450
EAN single box	8712285354809	8712285354786
What's in the box	Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Wall mounting kit with fischer® Duo Power plugs Ty fasteners kit Spirit level Quick Installation Guide DrillRight™ AR app Drilling template
Number in outer box (#)	1	2





Full-motion+ OLED TV Wall Mounts

TVM 5645

Full-Motion+ TV Wall Mount

TVM 5445

Full-Motion+ TV Wall Mount







Spec	ific	atio	n
------	------	------	---

Min. / Max. TV screen size (inch)	40 / 77	32 / 65
Max. weight load (kg)	45	35
Max. VESA hole pattern (mm)	600 x 400	400 x 400
Number of pivot points	3	3
Turn	Full motion (up to 180°)	Full motion (up to 180°)
Min. / Max. distance to the wall (mm)	40 / 652	40 / 562
Cable management	Cable fingers for cable management on the back of your TV CIS® Cable Inlay System	Cable fingers for cable management on the back of your TV CIS® Cable Inlay System
Spirit level included	•	•

Guarantee

TÜV certified
Guarantee




15 years



Ge	n	er	a

General		
Colour	Black White	Black White
Article number	5856450 (Black) 5856451 (White)	5854450 (Black) 5854451 (White)
EAN single box	8712285348006 (Black) 8712285355042 (White)	8712285347948 (Black) 8712285355028 (White)
What's in the box	Wall mount Wall mounting kit with fischer® Duo Power plugs Ty fasteners kit Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Wall mounting kit with fischer® Duo Power plugs Ty fasteners kit Spirit level Quick Installation Guide DrillRight™ AR app Drilling template
Number in outer box (#)	2	3



mm/inch VESA mounting holes



Fixed OLED TV Wall Mounts

TVM 5605

Fixed TV Wall Mount

TVM 5405

Fixed TV Wall Mount





OLED / QLED FIXED

Specifications		
Min. / Max. TV screen sizes (inch)	40 / 100	32 / 77
Max. weight load (kg)	100	75
Max. VESA hole pattern (mm)	600 x 400	400 x 400
Min. distance to the wall (mm)	15	15
Spirit level included	•	•

Guarantee


TÜV certified Guarantee

Genero

General		
Colour	Black	Black
Article number	5856050	5854050
EAN single box	8712285347962	8712285353086
What's in the box	Wall mount Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Spirit level Quick Installation Guide DrillRight™ AR app Drilling template
Number in outer box (#)	6	6







COMFORT Series

Every TV stylishly and secure on the wall, just how your customer wants it

The COMFORT Series is designed for families with children in mind. A consumer group that uses the TV intensively. That is why COMFORT wall mounts have a stylish design that puts safety first.

COMFORT wall mounts are suitable for TVs from 19 to 100 inches and weighing up to 75 kg.

Key features:

- For everyday use: Designed with family in mind
- Built to last: Stays strong after years of use
- Mounting made easy with our free DrillRight™
 Augmented Reality app
- Drilling template, bolts, plugs and spirit level included
- 10 years guarantee

Full-Motion+ TV Wall Mount

TVM 3405 SP

Fixed OLED TV Wall Mount

FULL-MOTION+ XL FIXED





Specifications		
Min. / Max. TV screen size (inch)	55 / 100	32 / 77
Max. weight load (kg)	55	50
Max. VESA hole pattern (mm)	600 x 400	400 x 200
Number of pivot points	3	
Turn	Full motion (up to 180°)	
Tilt	Tilt up to 10°	
Min. / Max. distance to the wall (mm)	60 / 669	22 / -
Cable management	Cable clips	
Spirit level included	•	•

Guarantee

TÜV certified Guarantee

What's in the box

Number in outer box (#)

NORD

10 years

NORD

10 years


General		
Colour	Black	Black
Article number	3838450 (Black)	3834050SP
EAN single box	8712285363368 (Black)	8712285360749

8712285363368 (Black) EAN single box

Wall mount
Cable clips
Wall mounting kit with fischer® Duo Power plugs
TV fasteners kit
Protective TV patches
Spirit level
Guick Installation Guide
DrillRight™ AR app
Drilling template

Wall mount
Wall mounting kit with fischer® Duo Power plugs
TV fasteners kit
Protective TV patches
Spirit level
Quick Installation Guide
DrillRight™ AR app
Drilling template

4





mm/inch VESA mounting holes

Full-Motion+ TV Wall Mount

TVM 3465

Full-Motion+ TV Wall Mount







Specifications		
Min. / Max. TV screen size (inch)	40 / 77	32 / 65
Max. weight load (kg)	35	25
Max. VESA hole pattern (mm)	600 x 400	400 x 400
Number of pivot points	3	3
Turn	Full motion (up to 180°)	Full motion (up to 180°)
Tilt	Tilt up to 20°	Tilt up to 20°
Min. / Max. distance to the wall (mm)	59 / 670	59 / 580
Cable management	Cable clips	Cable clips
Spirit level included	•	•

Guarantee

TÜV certified

Suarantee

Number in outer box (#)



10 years



10 vec

Guarantee	10 years	10 years
General		
Colour	Black	Black
Article number	3836650 (Black)	3834650 (Black)
EAN single box	8712285351860 (Black)	8712285351846 (Black)
What's in the box	Wall mount Cable clips Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	 Wall mount Cable clips Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template







mm/inch VESA mounting holes

Full-Motion+ TV Wall Mount

TVM 3445 Full-Motion+ TV Wall Mount TVM 3245

Full-Motion+ TV Wall Mount



Specifications







opcomounous			
Min. / Max. TV screen size (inch)	40 / 77	32 / 65	19 / 43
Max. weight load (kg)	35	25	15
Max. VESA hole pattern (mm)	600 x 400	400 x 400	200 x 200
Number of pivot points	3	3	3
Turn	Full motion (up to 180°)	Full motion (up to 180°)	Full motion (up to 180°)
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. / Max. distance to the wall (mm)	59 / 670	59 / 580	65 / 493
Cable management	Cable clips	Cable clips	Cable clips
Spirit level included	•	•	•
Guarantee	_		
TÜV certified	NORD	Nord	NORD
Guarantee	10 years	10 years	10 years
General			
Colour	White Black	Black White	Black White
Article number	3836451 (White) 3836450 (Black)	3834450 (Black) 3834451 (White)	3832450 (Black) 3832451 (White)
EAN single box	8712285347900 (White) 8712285347887 (Black)	8712285347788 (Black) 8712285347801 (White)	8712285347689 (Black) 8712285347702 (White)
What's in the box	Wall mount Cable clips Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Cable clips Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide Drilllight™ AR app Drilling template	Wall mount Cable clips Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide Drillinght™ AR app Drilling template
Number in outer box (#)	3	3	4
Awards	OSSIGN SO		







Full-Motion TV Wall Mount

TVM 3425

Full-Motion TV Wall Mount

TVM 3225

Full-Motion TV Wall Mount







Specifications

apecilications			
Min. / Max. TV screen size (inch)	40 / 77	32 / 65	19 / 43
Max. weight load (kg)	35	25	15
Max. VESA hole pattern (mm)	600 x 400	400 x 400	200 x 200
Number of pivot points	2	2	2
Turn	Motion (up to 120°)	Motion (up to 120°)	Motion (up to 120°)
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. / Max. distance to the wall (mm)	50 / 388	50 / 343	58 / 302
Cable management	Cable clip	Cable clip	Cable clip
Spirit level included	•	•	•

Guarantee

TÜV certified





Guarantee	10 years	10 years	10 years
General			
Colour	Black	Black	Black
Article number	3836250 (Black)	3834250 (Black)	3832250 (Black)
EAN single box	8712285347863 (Black)	8712285347764 (Black)	8712285347665 (Black)
What's in the box	Wall mount Cable clip Wall mounting kit with fischer® Duo Power plugs Ty fasteners kit Protective Ty patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Cable clip Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Cable clip Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drillling template
Number in outer box (#)	2	3	4







TV	M :	36	15
Tilt TV	Wc	VI III	loun

TVM 3415 Tilt TV Wall Mount

TVM 3215





Tilt TV Wall Mount



Number in outer box (#)







Specifications			
Min. / Max. TV screen size (inch)	40 / 77	32 / 65	19 / 43
Max. weight load (kg)	35	25	15
Max. VESA hole pattern (mm)	600 x 400	400 x 400	200 x 200
Till	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. distance to the wall (mm)	34	34	34
Spirit level included	•		

Spirit level included	•	•	•
Guarantee			
TÜV certified	Word	NORD	NORD
Guarantee	10 years	10 years	10 years
General			
Colour	Black	Black	Black
Article number	3836150 (Black)	3834150 (Black)	3832150 (Black)
EAN single box	8712285347849 (Black)	8712285347740 (Black)	8712285347641 (Black)
What's in the box	Wall mount Wall mounting kit with fischer® Duo Power plugs Ty fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template	Wall mount Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template
Number in outer boy (#)			







TVM 3605 TVM 3405 Fixed TV Wall Mount Fixed TV Wall Mount Fixed TV Wall Mount FIXED Specifications 40 / 100 32 / 77 Min. / Max. TV screen sizes (inch) Max. weight load (kg) 75 50 600 x 400 400 x 400 Max. VESA hole pattern (mm) Min. distance to the wall (mm) 22 22 Spirit level included Guarantee TÜV certified Guarantee 10 years 10 years General Black Black Colour Article number 3836050 (Black) 3834050 (Black) EAN single box 8712285347825 (Black) 8712285347726 (Black) 8712285347627 (Black) 8/1/228534/029 (BIUCK) Wall mount Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template Wall mount Wall mounting kit with fischer® Duo Power plugs TV fasteners kit Protective TV patches Spirit level Quick Installation Guide DrillRight™ AR app Drilling template 871228334/726 (Black) Wall mount Wall mounting kit with fischer® Duo Power plugs Ty fasteners kit Protective TV patches Spirit level Guick Installation Guide DrillRight™ AR app Drilling template What's in the box Number in outer box (#) 493/19.4







TVM 3205

19 / 50

30

200 x 200

22

10 years

Black

3832050 (Black)






TV wall mount Accessories

Hide messy cable clutter from sight with our range of cable concealing solutions.

Or create the ultimate TV audio experience with the sound bar solutions from Vogel's. By mounting the sound bar to our TV wall mount, the sound turns with your TV. We have a solution for virtually any sound bar brand.

Cable and AV solutions



TVA 6201

Cable Straps

TVA 6202

Cable sleeve





Specifications

Max. number of cables to hold	Up to 10 cables	Up to 4 cables
Cable cover length (cm)		100 cm
Width (mm)	20	20
Depth (mm)		
Max. weight load (kg)		
Guarantee		
Guarantee	2 years	2 years
General		
Colour	Black	Black
Article number	6862010	6862020
EAN single box	8712285350467	8712285350481
Number in outer box (#)	40	20

Cable and AV solutions

TVA 6203

Cable management kit

TVA 6400

Media Box Mount





140	130
	45
	1.5

2 years 2 years

	Black
6862030	6864000
8712285350504	8712285350528
10	20



mm/inch

Stud wall solution

TVA 6950

Stud adapter



Specifications

Max. weight load (kg)

75

Guarantee

TÜV certified

Guarantee

NORD

2 years

General

Colour	
Article number	
EAN single box	
Number in outer box (#)	

Black 6869500 8712285359187



SOUND 3550

Soundbar mount



Specifications

Bose SoundTouch 300/700
 Sonos Arc
 Sonos PLAYBAR
 Universal

Speaker models


Height adjustable (mm)
Max. weight load (kg)
Cable management Cable clip

Guarantee

NORD TÜV certified

Guarantee 5 years

Black
8153550
8712285343582
Cable clips Ty fasteners kit Allen key Mounting instructions
4





TV Floor Stands for your home

Place your TV anywhere you like

We offer practical and attractive alternatives to wall mounts as well

Floor stands take up less space than a traditional cabinet and can be placed anywhere in the

TV FLOOR STANDS

Cable management

TV Floor Stand

TVS 3695

TVS 3690









Specifications		
Min. / Max. TV screen size (inch)	40 / 77	40 / 77
Max. weight load (kg)	50	50
Max. VESA hole pattern (mm)	600 x 400	600 x 400
Height (mm)	1100	1100
Min. distance to floor - center display (mm)		

Cable clips
 Integrated cable management

Integrated cable management

Guarantee		
TÜV certified	NORD	Nord
Guarantee	10 years	10 years
Certifications	PEFC, TÜV	TÜV
General		
Colour	Oak & Steel (black) Oak & Steel (white)	Steel (black)
Article number	3836950 (Oak & Steel (black)) 3836951 (Oak & Steel (white))	3836900
EAN single box	8712285353345 (Oak & Steel (black)) 8712285353369 (Oak & Steel (white))	8712285355189
What's in the box	Floor stand Interface Cable clips TV fasteners kit Protective TV patches Quick Installation Guide Allen key (8mm)	Floor stand Interface TV fasteners kit Protective TV patches Quick Installation Guide Allen key (8mm)
Awards	S THE DESCRIPTION OF THE PROPERTY.	





NEXT OP1

TV Floor Stand

NEXT OP2

TV Floor Stand

TV FLOOR STANDS





Specifications

opcomouncing		
Min. / Max. TV screen size (inch)	46 / 70	50 / 77
Max. weight load (kg)	40	50
Max. VESA hole pattern (mm)	400 x 400	400 x 400
Height (mm)	1110	1183
Min. distance to floor - center display (mm)	560	540

Integrated cable management

Integrated cable management

Guarantee

Cable management

TÜV certified	TUN	NORD
Guarantee	2 years	2 years
Certifications	FSC, TÜV	FSC, TÜV
General		
Colour	Light oak	Light oak
Article number	8743232	8743242
EAN single box	8712285337543	8712285342127

What's in the box


EAN single box

- TV fasteners kitAllen keyMounting instructions

- TV fasteners kitAllen keyMounting instructions


Awards











SOUND solutions

Enjoy the music you love even more. Vogel's offers a variety of solutions with our line of speaker wall mounts and stands. We specialize in solutions for the popular brand Sonos.

SOUND 4201

SOUND 4301

Speaker Wall Mount for Sonos One (SL) & Play:1 Speaker stand for Sonos One (SL) & Play:1





Specifications

Speaker models	Sonos OneSonos PLAY:1	Sonos OneSonos PLAY:1
Turn	Up to 70°	
Tilt	Tilt -30°/+30°	
Max. weight load (kg)	5	5
Cable management		Integrated cable management
Spirit level included	•	•

Guarantee


Awards

TÜV certified	Word
Cuarantoo	Evogra



Guarantee	5 years	5 years
General		
Colour	Black White	Black White
Article number	8152020 (Black) 8152021 (White)	8153020 (Black) 8153021 (White)
EAN single box	8712285341403 (Black) 8712285341427 (White)	8712285341441 (Black) 8712285341465 (White)
What's in the box	Spirit level Mounting instructions Wall mounting kit	Mounting instructions
Number in outer box (#)	4	2





Universal speaker wall mounts & stands

SOUND 3305 SOUND 3205 SOUND 3200 Speaker Stand Speaker Wall Mount Speaker Wall Mount UNIVERSAL Specifications Denon HEOS 5 Denon HEOS 7 Sonos PLAY:5 Sonos Five Universal Denon HEOS 5 Denon HEOS 7 Sonos PLAY:5 (Gen 2) Sonos Five Universal Universal Up to 70° Up to 70° Turn Tilt -30°/+30° Tilt up to 10° Tilt Max. weight load (kg) 6.5 6.5 5 Spirit level included Guarantee NORD TÜV certified Guarantee 5 years 5 years 5 years General Black | White Black | White Black | White Colour 8153350 (Black) 8153351 (White) 8153250 (Black) 8153251 (White) 8152000 (Black) 8152001 (White) Article number 8712285337345 (Black) 8712285337369 (White) 8712285337307 (Black) 8712285337321 (White) 8712285329586 (Black) 8712285329609 (White) EAN single box Spirit level Mounting instructions Wall mounting kit Allen key Mounting instructions Wall mounting kit Allen keyMounting instructions What's in the box Number in outer box (#) 130/5 130/5 0°/-10°







Universal speaker wall mounts & stands

VLB 500

Speaker Wall Mounts

VLB 200

Speaker Wall Mounts





Universal

Universal

Up to 180°	
Tilt up to 20°	
E	

Up to 90°	
Tilt up to 15°	
20	

 5 years
 5 years

 Black | Silver
 Black

 8105000 (Black) 8105004 (Silver)
 8120200


 8712285314186 (Black) 8712285314209 (Silver)
 8712285001024

Mounting instructions

Mounting instructions

6

3





SWM 4111

SWM 4131

SFS 4113

Sonos speaker wall mount for Era 100 Sonos speaker wall mount for Era 300

Sonos speaker stand for Era 100

SONOS ERA







Specifications			
Speaker models	Sonos Era 100	Sonos Era 300	Sonos Era 100
Turn	Up to 70°	Up to 60°	
Tilt	Tilt -30°/+30°	Tilt -30°/+30°	
Max. weight load (kg)	2	4.4	2
Cable management			Integrated cable management CIS® Cable Inlay System
Spirit level included	•	•	

Guarantee

TÜV certified





Guarantee	5 years	5 years	5 years	
General				
Colour	Black White	Black White	Black White	
Article number	8151110 (Black) 8151111 (White)	8151310 (Black) 8151311 (White)	8151130 (Black) 8151131 (White)	
EAN single box	8712285371820 (Black) 8712285371844 (White)	8712285371868 (Black) 8712285371882 (White)	8712285371905 (Black) 8712285371929 (White)	
What's in the box	Wall mount Wall mounting kit with fischer® Duo Power plugs Spirit level Quick Installation Guide	Wall mount Wall mounting kit with fischer® Duo Power plugs Spirit level Quick Installation Guide	Floor stand Quick Installation Guide	
Number in outer box (#)	4	4	2	







SFS 4133 Sonos speaker stand for Era 300



Sonos Era 300

4.4


- Integrated cable management
 CIS® Cable Inlay System



Black | White 8151330 (Black) 8151331 (White) 8712285371943 (Black) 8712285371967 (White)

- Floor standQuick Installation Guide

86/3A 12/05 341/3 ₩3051V20 mm/inch



Projector solutions

Mount your projector on the wall with style. You can easily position your projector and secure it to maintain a stable image while viewing with the adjust & secure feature. It comes with the universal Projector Connector that fits virtually every projector weighing up to 10 kg.

Projector Ceiling and Wall Mounts

EPC 6545

Projector Ceiling Mount

EPW 6565

Projector Wall Mount

PPC 1500

Projector Ceiling Mount

PROJECTOR CEILING AND WALL MOUNTS







Specif	

-p			
Max. weight load (kg)	10	10	20
Turn	Up to 360°	Up to 360°	Up to 360°
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 15°
Range (diameter)			30 - 337 mm
Min. distance to ceiling (mm)			124
Max distance to ceiling (mm)	76		124

Guarantee

TÜV certified



C.



Guarantee 10


10 years

10 years

General			
Colour	Silver	Silver	Silver White
Article number	8027454	8023654	7015014 (Silver) 7015001 (White)
EAN single box	8712285311420	8712285311444	8712285325069 (Silver) 8712285325144 (White)
Number in outer box (#)	3	3	0
Awards	GERIGAY ANNARO	S DESIGN ANARD	









Tablet Solutions

Enjoy your tablet with all its favourite entertainment and apps in the car, kitchen or bathroom with Voael's Tablet Mounts.

TMS 1050 Tablet Dashboard Pack

TMS 1020

TMS 1030

Tablet Flex Pack









Specifications

Tablet Brand and Model(s)	Universal	Universal	Universal
Tablet usage	In a car	In a car	At home
Min. screen size (inch)	10	10	10
Max. screen size (inch)	12	13	13
Max. weight load (kg)	1	1	2
Max. screen depth (mm)	13	13	13
Rotate	Up to 360°	Up to 360°	Up to 360°
Tilt		Tilt up to 15°	Tilt up to 15°
Min. distance to the wall (mm)			40
Max. distance to the wall (mm)			200

Guarantee

Guarantee

Lifetime

5 years

5 years

General

Colour	Black	Black	Silver
Article number	8371500	8371020	8371030
EAN single box	8712285326769	8712285326721	8712285326745
Number in outer box (#)	6	6	6
Awards	ANNADA	DEBIGN AWARD	See See Control of the Control of th

*Fits all tablets 7" up to 13"





min. 150 mm / max. 220 mm

tablet thickness min. 5 mm / max. 13 mm

*Fits all tablets 7" up to 13"





min. 150 mm / max. 220 mm

tablet thickness min. 5 mm / max. 13 mm

*Fits all tablets 7" up to 13"





min. 150 mm / max. 220 mm

tablet thickness min. 5 mm / max. 13 mm

TMS 1010 Tablet Wall Pack



Universal
At home
10
13
1
13
Up to 360°
5

5 years

Black
8371010
8712285326707
6
QESIGN ANALO

*Fits all tablets 7" up to 13"





min. 150 mm / max. 220 mm

tablet thickness min. 5 mm / max. 13 mm

Index

Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.
EPC 6545 EPW 6565 ERA 4111	37 37 36	SOUND 3200 SOUND 3205 SOUND 3305 SOUND 3550	34 34 34 27	TVA 6400 TVA 6950 TVA 7000 TVM 3200 Ser	25 26 23 ies_20	TVM 3600 Se TVM 3610 Se TVM 3620 Se TVM 3640 Se	eries19 eries18	TVM 7670P S6 TVM 7675 TVS 3690 TVS 3695	eries9 9 29 29
ERA 4131 ERA 4133 ERA 4113	36 37 36	SOUND 4113 SOUND 4201 SOUND 4301	33 33 33	TVM 3210 Ser TVM 3220 Ser TVM 3240 Ser TVM 3400 SP	ies18 ies17	TVM 3660 Se TVM 3840 Se TVM 5400 Se TVM 5440 Se	eries15 eries13	TMS 1010 TMS 1020 TMS 1030	42 41 41
N NEXT OP1P	30	TVA 6000 TVA 6201 TVA 6202 TVA 6203	23 24 24 25	TVM 3400 Ser TVM 3410 Ser TVM 3420 Ser TVM 3440 Ser TVM 3460 Ser	ies19 ies18 ies17	TVM 5600 Se TVM 5640 Se TVM 5840 Se TVM 5850 Se TVM 7655_	eries12	V VLB 200VLB 500	41
S SOUND 1250_	27								











/VogelsForSure

/VogelsForSure

/company/vogels

/VogelsForSure

/vogels_official

Disclaimer

While every effort is made to ensure the accuracy of the information provided, Vogel's shall not be held responsible for any errors. This also applies to mistakes or omissions in respect of prices or measurements.

Vogel's. For Sure.

Not all products are available in every country.